

Department	Standard Components	Room Tag:	1105
Room Name	Ablution Room (Prayer Room)	Room Code:	ABLR-SJ
Net Room Area Briefed	13.0 M2		
No of Rooms	1		
Subtotal of Briefed Area	13.00 M2		
Hours of Operation	24 Hours		
Occupancy	2-10		
Also covers these Rooms			
Description/ Special Requirements	<p>The Ablution room is an airlock entry prior to the Prayer Room where visitors and patients can wash-up prior to entering the prayer room. Separate Ablution Room shall be provided for male and female and direct access to prayer room is recommended.</p> <p>Acoustics: Sound attenuation level - medium; acoustic privacy required.</p> <p>Body Protected Electrical Area</p>		
Amendment	13.03.2014 First issue		

Room Fabric and outline specifications

ID	Fabric	Material	Finish	Specification	Selection	Remarks
5030	Ceiling	Plasterboard	Prefinished	Drop-in tiles, 600x1200		
6025	Cornice	Aluminium	Powdercoat	shadow line		
8000	Door protection	Vinyl	Prefinished	Kickplate, 300mm high		
9001	Doors	Solid Core	Paint	Single leaf		920mm clear
1175	Floor finish	Tiles	Non-slip	Ceramic		non slip vinyl floor also acceptable
2145	Skirting	Tiles	To match floor	Coved		or floor vinyl coved skirting
3000	Wall finish	Paint	Acrylic, washable			
3090	Wall finish	Tiles	Glazed			vinyl also acceptable; to 1000mm high around wash-up area

Fittings and Furniture (FF)

ID	Description	Category	Group	Qty	Selection / Remarks
2655	Chair: visitor	Furniture/ Fitting	3	1	
3400	Coathook	Metalwork	1	10	
6154	Dispenser: paper/ hand towel	Furniture/ Fitting	2	2	to each wash-up station
6156	Dispenser: soap	Furniture/ Fitting	2	1	shared by wash-up stations
13700	Mirror	Metalwork	1	1	full height, dressing
19750	Rack: shoe	Furniture/ Fitting	1	1	for 20 pairs of shoes
21699	Stool: fixed	Furniture/ Fitting	1	2	marble seat fixed for each washing station
24100	Waste bin: paper, 20 Litre	Furniture/ Fitting	3	1	to wash-up area

Department	Standard Components	Room Tag:	1105
Room Name	Ablution Room (Prayer Room)	Room Code:	ABLR-SJ

Fixtures, Equipment and associated Services (FE)

ID	Description	Group	Qty	Ele	Data	Cd	WH	W	m	WT	Tap	Dns	Gas	Selection / Remarks
480	Ablutions washing outlet & tap	1	2	___	___	yes	___	yes	yes	yes	yes	___	___	per washing station
3003	Bidet handset	1	2	___	___	___	___	yes	yes	___	___	___	___	per washing station

Services

ID	Description	Service Category	Qty	Selection / Remarks
5000	Airconditioning	HVAC		
5019	Exhaust	HVAC		
4033	Floor waste	Hydraulics	2	
6000	General fluorescent	Lighting		
9015	GPO: Cleaner	Power	1	