

<b>Department</b>	<b>Standard Components</b>	<b>Room Tag:</b>	<b>1545</b>
<b>Room Name</b>	<b>Bay - Mobile Equipment (Enclosed), 4m2</b>	<b>Room Code:</b>	<b>BMEQE-4-SJ</b>
<b>Net Room Area Briefed</b>	4.0 M2		
<b>No of Rooms</b>	1		
<b>Subtotal of Briefed Area</b>	4.00 M2		
<b>Hours of Operation</b>	24 Hours		
<b>Occupancy</b>	N/A		
<b>Also covers these Rooms</b>			
<b>Description/ Special Requirements</b>	<p>An enclosed storage bay for one or more items of mobile equipment in frequent use which may include wheelchairs, mobile scales, commode chairs, patient lifting devices or other mobile equipment.</p> <p>Special Design Requirements: The Bay should be deep enough to ensure equipment stored does not impede corridor circulation; minimum depth 1200mm.</p> <p>Electrical equipment that requires recharging may be stored in this space whilst recharging, therefore provision of appropriately located power outlets will be required.</p>		
<b>Amendment</b>	13.03.2014 First issue		

**Room Fabric and outline specifications**

ID	Fabric	Material	Finish	Specification	Selection	Remarks
5010	Ceiling	Plasterboard	Paint, washable	Flush set, suspended		
6025	Cornice	Aluminium	Powdercoat	shadow line		
8040	Door protection	Composite	Prefinished PVC	To door frame		
8010	Door protection	Composite	Prefinished PVC	Protection plate to 900 AFFL		
9210	Doors	Solid Core	Paint	Double leaf		folding type recommended
1000	Floor finish	Vinyl	Standard slip resistant	Seamless, coved		or consistent with the adjacent corridor
2000	Skirting	Vinyl	Prefinished	Floor vinyl coved, 150 mmH		or consistent with the adjacent corridor
3000	Wall finish	Paint	Acrylic, washable			
4020	Wall protection	Composite	Prefinished PVC	Crash rail at 900 AFFL		
4022	Wall protection	Composite	Prefinished PVC	Crash rail at 350 AFFL		optional

**Fittings and Furniture (FF)**

ID	Description	Category	Group	Qty	Selection / Remarks
7400	Trolley: equipment	Furniture/ Fitting	3	1	as required
24200	Wheelchair	Furniture/ Fitting	3	2	as required

**Services**

**Department** | **Standard Components** | **Room Tag:** 1545  
**Room Name** | **Bay - Mobile Equipment (Enclosed), 4m2** | **Room Code:** BMEQE-4-SJ

ID	Description	Service Category	Qty	Selection / Remarks
5015	Ventilation	HVAC		
6000	General fluorescent	Lighting		
9001	GPO: Double	Power	2	For recharging of electrical equipment