#### **Sharjah Healthcare City - Health Facility Guidelines** Milestone: Current

**Room Data Sheets** 

**Standard Components** 2840 Department Room Tag: Lounge - Patient, Special **Room Name Room Code:** LNPT-S-SJ

**Net Room Area Briefed** 

15.0 M2

No of Rooms

**Subtotal of Briefed Area** 

15.00 M2

**Hours of Operation** 

24 Hours

Occupancy

Up to 7 patients/visitors; 1 - 2 staff intermittently

Also covers these

Rooms

Description/ **Special Requirements** 

The Special Patient Lounge provides a change of environment away from clinical areas for patients and visitors and may include a beverage preparation area. It is an area where family groups can visit and patients can socialise. An external outlook is essential.

Acoustics: Sound attenuation level - Medium; Acoustic privacy required.

Body Protected electrical area

**Amendment** 

14.03.2014 - First Issue

### **Room Fabric and outline specifications**

ID	Fabric	Material	Finish	Specification	Selection	Remarks
5060	Ceiling	Acoustic	Prefinished	Drop-in tiles, 600x1200		
6025	Cornice	Aluminium	Powdercoat	shadow line		
8010	Door protection	Composite	Prefinished PVC	Protection plate to 900 AFFL		
8040	Door protection	Composite	Prefinished PVC	To door frame		
9115	Doors	Solid Core/ Glass	Paint	1 1/2 leaf, half glazed		1400mm clear opening
1149	Floor finish	Carpet	90/10 Wool/ Nylon	Broadloom, 48 oz.		vinyl also acceptable
1000	Floor finish	Vinyl	Standard slip resistant	Seamless, coved		to sink bench
949496	Skirting	Timber	Paint	150mmH x 20mm thick, nominal		or floor vinyl coved skirting
3000	Wall finish	Paint	Acrylic, washable			
7001	Windows					essential

### Fittings and Furniture (FF)

ID	Description	Category	Group	Qty	Selection / Remarks
350	Artwork	Furniture/ Fitting	3	2	optional
1050	Bench: laminate	Furniture/ Fitting	1	1	with inset sink
23410	Bracket: television, wall mount	Metalwork	3	1	for flat screen TV, optional
2655	Chair: visitor	Furniture/ Fitting	3	1	
4430	Cupboard: drawer unit	Furniture/ Fitting	1	1	under bench
4410	Cupboard: under bench	Furniture/ Fitting	1	1	adjustable shelf

# **Sharjah Healthcare City - Health Facility Guidelines**

Milestone: Current

Room Data Sheets

Department Standard Components Room Tag: 2840
Room Name Lounge - Patient, Special Room Code: LNPT-S-SJ

ID	Description	Category	Group	Qty	Selection / Remarks
4460	Cupboard: wall mounted	Furniture/ Fitting	1	1	over bench
4900	Curtain track: window	Metalwork	1	1	or blinds
5410	Curtain: window, drapes	Furniture/ Fitting	3	1	or blinds
6154	Dispenser: paper/ hand towel	Furniture/ Fitting	2	1	to sink
6156	Dispenser: soap	Furniture/ Fitting	2	1	to sink
19990	Shelving unit: microwave	Furniture/ Fitting	1	1	over bench, optional
22800	Table: low	Furniture/ Fitting	3	2	
24100	Waste bin: paper, 20 Litre	Furniture/ Fitting	3	1	

## Fixtures, Equipment and associated Services (FE)

ID	Description	Group	Qty	Ele	Data	CdW	HtW	<b>/</b> /mW	Тар	Dns	Gas	Selection / Remarks
5000	Boiling water unit: 5 Litre	1	1	yes		yes			yes	yes		
35400	Oven: microwave, domestic	3	1	yes								optional
44000	Refrigerator: 120 Litre, domestic	3	1	yes								under bench
47900	Sink & drainer: L bowl, 930mmL	1	1			yes	opt	opt	yes	yes		warm water
54510	Telephone: handset, standard	3	1		yes							on table, optional
3031	Television: flat screen	3	1	yes								wall mounted on bracket,
												optional

### **Services**

ID	Description	Service Category	Qty	Selection / Remarks
1090	TV: MATV	Communications	1	optional
1006	Voice / Data outlet: double	Communications	1	
5000	Airconditioning	HVAC		
6000	General fluorescent	Lighting		
6046	Indirect lighting	Lighting		optional
8080	Emergency call	Nurse Call	1	+ indicator button & light
8005	Patient call handset	Nurse Call	1	call button on the handset
8000	Patient/ Staff call	Nurse Call	1	+ indicator button & light
8010	Staff/ Nurse assist call	Nurse Call	1	+ indicator button & light
9040	Body protected	Power		
9001	GPO: Double	Power	1	to bench
9000	GPO: Single	Power	5	patient area
9000	GPO: Single	Power	3	BWU, fridge, microwave
9060	GPO: Special: for equipment	Power	1	TV, optional

SHCC Guidelines

Provided by TAHPI for : Sharjah Domain

Issue No:1 Print Date: 20 May 2014 Issue Date: 1 Apr 2014 Page 2 of 2