

Department	Standard Components	Room Tag:	2910
Room Name	Meeting Room - Antenatal	Room Code:	MEET-AN-SJ
Net Room Area Briefed	30.0 M2		
No of Rooms	1		
Subtotal of Briefed Area	30.00 M2		
Hours of Operation	Available 24 Hours		
Occupancy	Up to 25		
Also covers these Rooms			
Description/ Special Requirements	The Meeting Room - Antenatal will accommodate antenatal education sessions and meetings. It is a multipurpose room also used for staff meetings, training or educational purposes.		
	Acoustics: Sound attenuation level high; Acoustic privacy required.		
Amendment	14.03.2014 - First Issue 24.03.2014 - General revision		

Room Fabric and outline specifications

ID	Fabric	Material	Finish	Specification	Selection	Remarks
5060	Ceiling	Acoustic	Prefinished	Drop-in tiles, 600x1200		
6025	Cornice	Aluminium	Powdercoat	shadow line		
8000	Door protection	Vinyl	Prefinished	Kickplate, 300mm high		
9125	Doors	Solid Core/ Glass	Paint	1 1/2 leaf, observation panel		920mm/ 1350mm clear opening; small leaf optional; lockable
1149	Floor finish	Carpet	90/10 Wool/ Nylon	Broadloom, 48 oz.		
949496	Skirting	Timber	Paint	150mmH x 20mm thick, nominal		
3000	Wall finish	Paint	Acrylic, washable			
7001	Windows					desirable

Fittings and Furniture (FF)

ID	Description	Category	Group	Qty	Selection / Remarks
1250	Blind: Venetian	Metalwork	3	1	Grey-out for audiovisual presentations
2060	Chair: meeting room	Furniture/ Fitting	3	25	may be stackable
3350	Clock: battery operated	Furniture/ Fitting	3	1	
4490	Cupboard: double door, freestanding, lockable	Furniture/ Fitting	3	2	optional
17360	Pinboard: fabric covered	Furniture/ Fitting	2	1	
24100	Waste bin: paper, 20 Litre	Furniture/ Fitting	3	1	
24400	Whiteboard	Furniture/ Fitting	2	1	

Fixtures, Equipment and associated Services (FE)

ID	Description	Group	Qty	Ele	Data	Cd	WH	T	W/m	WTap	Dns	Gas	Selection / Remarks
41350	Projection screen: ceiling, auto	1	1	yes	___	___	___	___	___	___	___	___	

Department | **Standard Components**
Room Name | **Meeting Room - Antenatal**

Room Tag: 2910
Room Code: MEET-AN-SJ

ID	Description	Group	Qty	Ele	Data	Cd	WH	W/m	WTap	Dns	Gas	Selection / Remarks
41400	Projector	3	1	yes	___	___	___	___	___	___	___	ceiling mounted; optional
54510	Telephone: handset, standard	3	1	___	yes	___	___	___	___	___	___	immediately outside room entry

Services

ID	Description	Service Category	Qty	Selection / Remarks
1000	Telephone: PABX	Communications	1	wall phone outside room entry
1090	TV: MATV	Communications	1	
1006	Voice / Data outlet: double	Communications	3	1 outlet on each panel for telephone
5000	Airconditioning	HVAC		
6110	Downlights: dimmable	Lighting		for audiovisual presentations
6000	General fluorescent	Lighting		
9015	GPO: Cleaner	Power	1	as required
9001	GPO: Double	Power	6	