Sharjah Healthcare City - Health Facility Guidelines Milestone: Current

Room Data Sheets

Department Standard Components Room Tag: 2920
Room Name Meeting Room - Diversional Therapy Room Code: MEET-DT-SJ

Net Room Area Briefed

30.0 M2

No of Rooms

1

Subtotal of Briefed Area

30.00 M2

Hours of Operation

Available 24 Hours

Occupancy

Up to 20

Also covers these Rooms

Description/

The Meeting Room - Diversional Therapy will accommodate diversional therapy sessions for patients, primarily rehabilitation patients. The room will provide facilities for wet craft activities.

Special Requirements

Acoustics: Sound attenuation level high; Acoustic privacy required.

Body Protected electrical area

Amendment

14.03.2014 - First Issue 24.03.2014 - General revision

Room Fabric and outline specifications

ID	Fabric	Material	Finish	Specification	Selection	Remarks
5060	Ceiling	Acoustic	Prefinished	Drop-in tiles, 600x1200		
5007	Ceiling	Plasterboard	Paint	Bulkhead		
6025	Cornice	Aluminium	Powdercoat	shadow line		
8000	Door protection	Vinyl	Prefinished	Kickplate, 300mm high		
9125	Doors	Solid Core/ Glass	Paint	1 1/2 leaf, observation panel		920mm/ 1400mm clear opening; small leaf optional; lockable
1000	Floor finish	Vinyl	Standard slip resistant	Seamless, coved		
2000	Skirting	Vinyl	Prefinished	Floor vinyl coved, 150 mmH		
3000	Wall finish	Paint	Acrylic, washable			
3022	Wall finish	Resinate, 6mm	Prefinished	Splashback		to sink
7001	Windows					desirable

Fittings and Furniture (FF)

ID	Description	Category	Group	Qty	Selection / Remarks
1010	Bench: stainless steel	Metalwork	1	1	with inset sink
1250	Blind: Venetian	Metalwork	3	1	optional; if window provided
2400	Chair: stackable	Furniture/ Fitting	3	16	
3350	Clock: battery operated	Furniture/ Fitting	3	1	
4420	Cupboard: under bench, lockable	Furniture/ Fitting	1	1	with adjustable shelf
4470	Cupboard: wall mounted, lockable	Furniture/ Fitting	1	1	over bench unit, optional
17360	Pinboard: fabric covered	Furniture/ Fitting	2	1	

Sharjah Healthcare City - Health Facility Guidelines

Room Data Sheets

Milestone: Current

Department Standard Components Room Tag: 2920
Room Name Meeting Room - Diversional Therapy Room Code: MEET-DT-SJ

ID	Description	Category	Group	Qty	Selection / Remarks
22620	Table: adjustable height	Furniture/ Fitting	3	6	assorted sizes
24100	Waste bin: paper, 20 Litre	Furniture/ Fitting	3	1	

Fixtures, Equipment and associated Services (FE)

ID	Description	Group	Qty	Ele	Data	CdW	HtW	%mW	Тар	Dns	Gas	Selection / Remarks
40300	Plaster trap	1	1							yes		under sink
47800	Sink, SS: single in bench	1	1			yes	opt	opt	yes	yes		warm water
54510	Telephone: handset, standard	3	1		yes							wall phone

Services

ID	Description	Service Category	Qty	Selection / Remarks
1000	Telephone: PABX	Communications	1	wall phone
1090	TV: MATV	Communications	1	
1006	Voice / Data outlet: double	Communications	2	
5000	Airconditioning	HVAC		
6110	Downlights: dimmable	Lighting		
6000	General fluorescent	Lighting		
9040	Body protected	Power		
9015	GPO: Cleaner	Power	1	
9001	GPO: Double	Power	5	

SHCC Guidelines

Provided by TAHPI for : Sharjah Domain

Issue No:1 Print Date: 20 May 2014 Issue Date: 1 Apr 2014 Page 2 of 2