### Sharjah Healthcare City - Health Facility Guidelines

**Room Data Sheets** 

Milestone: Current

Department Room Name	Standard Components Mould Room - Workshop	Room Tag: Room Code:	3095 MLD-WS-SJ							
Net Room Area Briefed	20.0 M2									
No of Rooms	1									
Subtotal of Briefed Area	20.00 M2									
Hours of Operation	8am to 6pm, daily									
Occupancy	Up to 3									
Also covers these Rooms										
Description/ Special Requirements	maaka required for Padiotherapy patients A Mould Eitting room will be									
Amendment	Acoustics: sound attenuation - medium; acoustic privacy required. 14.03.2014 - First Issue 24.03.2014 - General revision									

# Room Fabric and outline specifications

ID	Fabric	Material	Finish	Specification	Selection	Remarks
5007	Ceiling	Plasterboard	Paint	Bulkhead		
5030	Ceiling	Plasterboard	Prefinished	Drop-in tiles, 600x1200		
6025	Cornice	Aluminium	Powdercoat	shadow line		
8010	Door protection	Composite	Prefinished PVC	Protection plate to 900 AFFL		
8040	Door protection	Composite	Prefinished PVC	To door frame		
9110	Doors	Solid Core	Paint	1 1/2 leaf		1400mm clear opening, lockable
1000	Floor finish	Vinyl	Standard slip resistant	Seamless, coved		
2000	Skirting	Vinyl	Prefinished	Floor vinyl coved, 150 mmH		
3000	Wall finish	Paint	Acrylic, washable			
3052	Wall finish	Vinyl	Prefinished	Wall vinyl to 1500 AFFL		
3060	Wall finish	Vinyl	Prefinished	Splashback		above bench

### Fittings and Furniture (FF)

ID	Description	Category	Group	Qty	Selection / Remarks
1050	Bench: laminate	Furniture/ Fitting	1	1	with inset sink and drainer
3400	Coathook	Metalwork	1 2 1 at 1200H		1 at 1200H
4360	Cupboard: door ht adj. shelves	Furniture/ Fitting	1	2	lockable, with hooks & shelves
4430	Cupboard: drawer unit	Furniture/ Fitting	1	2	under bench
4420	Cupboard: under bench, lockable	Furniture/ Fitting	1	1	with adjustable shelves
4470	Cupboard: wall mounted, lockable	Furniture/ Fitting	1	1	over bench
6154	Dispenser: paper/ hand towel	Furniture/ Fitting	2	2	to sink and basin

 SHCC Guidelines
 Provided by TAHPI for :
 Issue No: 1
 Print Date:
 20 May 2014

 Sharjah Domain
 Issue Date: 1 Apr 2014
 Page 1 of 2

# Sharjah Healthcare City - Health Facility Guidelines Milestone: Current

### **Room Data Sheets**

	Department Room Name		rd Components Room - Workshop			Room Tag: 3095 Room Code: MLD-WS-SJ
ID	Description		Category	Group	Qty	Selection / Remarks
6156	Dispenser: soap		Furniture/ Fitting	2	2	to sink and basin
12900	Louvred panel: for storage-b	oins	Metalwork	1	2	above bench, optional
21755	Storage bins		Furniture/ Fitting	3	6	for louvred panel, if provided
24100	Waste bin: paper, 20 Litre		Furniture/ Fitting	3	1	to basin

### Fixtures, Equipment and associated Services (FE)

ID	Description	Group	Qty	Ele	Data	CdW	HtW	<b>V</b> mW	Тар	Dns	Gas	Selection / Remarks
2800	Basin: handwash, Type B	1	1			yes		yes	yes	yes		
40300	Plaster trap	1	1							yes		connect to sink and drainer
47890	Sink & drainer: single, 930mmL	1	1			yes	opt	opt	yes	yes		hot water
54510	Telephone: handset, standard	3	1		yes							wall phone

#### Services

ID	Description	Service Category	Qty	Selection / Remarks
1000	Telephone: PABX	Communications	1	wall phone
1006	Voice / Data outlet: double	Communications	1	
5000	Airconditioning	HVAC		
6000	General fluorescent	Lighting		
6055	Special: task light, built in	Lighting		under O/H cupboards
9001	GPO: Double	Power	3	