## Sharjah Healthcare City - Health Facility Guidelines Milestone: Current

**Room Data Sheets** 

DepartmentStandard ComponentsRoom Tag:3160Room NameOffice - 3 Person SharedRoom Code:OFF-3P-SJ

Net Room Area Briefed 15.0 M2

No of Rooms

Subtotal of Briefed Area 15.00 M2

Description/

Hours of Operation 8am to 6pm, daily

Occupancy Up to 3 staff

Also covers these Rooms

**Special Requirements** 

A shared Office for three persons to carry out administrative functions in a degree of privacy. This may include patient care coordination and

preparation of reports. An external outlook is desirable.

Acoustics: Sound attenuation level - medium; Acoustic privacy required

Amendment 14.03.2014 - First Issue

## **Room Fabric and outline specifications**

ID	Fabric	Material	Finish	Specification	Selection	Remarks
5060	Ceiling	Acoustic	Prefinished	Drop-in tiles, 600x1200		
6025	Cornice	Aluminium	Powdercoat	shadow line		
8000	Door protection	Vinyl	Prefinished	Kickplate, 300mm high		optional
9002	Doors	Solid Core/ Glass	Paint	Single leaf, half glazed		920mm clear opening, lockable, glazing optional
1149	Floor finish	Carpet	90/10 Wool/ Nylon	Broadloom, 48 oz.		
949496	Skirting	Timber	Paint	150mmH x 20mm thick, nominal		
3000	Wall finish	Paint	Acrylic, washable			
7001	Windows					Desirable

### Fittings and Furniture (FF)

ID	Description	Category	Group	Qty	Selection / Remarks
1250	Blind: Venetian	Metalwork	3	1	to external window as required
2100	Chair: ergonomic, office	Furniture/ Fitting	3	3	
3400	Coathook	Metalwork	1	3	
7900	Filing cabinet: 4 drawer	Furniture/ Fitting	3	1	optional
17250	Pedestal drawer unit: mobile, 660mmH	Furniture/ Fitting	3	3	lockable, under workstations
17255	Pedestal filing unit: mobile, 660mmH	Furniture/ Fitting	3	3	lockable, under workstations
17360	Pinboard: fabric covered	Furniture/ Fitting	1	3	over workstations
20000	Shelving unit: adjustable	Furniture/ Fitting	1	3	for books, over workstations
24100	Waste bin: paper, 20 Litre	Furniture/ Fitting	3	3	
24440	Workstation: computer	Furniture/ Fitting	3	3	

#### Fixtures, Equipment and associated Services (FE)

ID	Description	GroupQty Ele Dat	ta CdWHtW/VmWTap   Dns Gas	s Selection / Remarks
	SHCC Guidelines	Provided by TAHPI for :	Issue No: 1	Print Date: 20 May 2014
3		Sharjah Domain	Issue Date: 1 Apr 2014	Page 1 of 2

# Sharjah Healthcare City - Health Facility Guidelines Milestone: Current

**Room Data Sheets** 

DepartmentStandard ComponentsRoom Tag:3160Room NameOffice - 3 Person SharedRoom Code:OFF-3P-SJ

ID	Description	Group	Qty	Ele	Data	CdW	HtW	<b>VmW</b>	Тар	Dns	Gas	Selection / Remarks
11400	Computer: PC & monitor	3	3	yes	yes							
41100	Printer: networked	3	1	yes	yes							Shared use, optional
54510	Telephone: handset, standard	3	3		yes							

#### **Services**

ID	Description	Service Category		Selection / Remarks		
1006	Voice / Data outlet: double	Communications	4	3 outlets for telephone - 1 per workstation		
5000	Airconditioning	HVAC				
6000	General fluorescent	Lighting				
6055	Special: task light, built in	Lighting		under O/H shelving		
9001	GPO: Double	Power	7	2 per workstation; 1-printer		