Sharjah Healthcare City - Health Facility Guidelines Milestone: Current

Room Data Sheets

Standard Components 3190 Department Room Tag: Office - Clinical/ Handover **Room Name Room Code: OFF-CLN-SJ**

Net Room Area Briefed

15.0 M2

No of Rooms

Subtotal of Briefed Area

15.00 M2

Hours of Operation

24 Hours

Occupancy

2 workstations; up to 10 for meetings

Also covers these

Rooms

Description/ **Special Requirements**

An Office adjoining the Staff Station for staff to write up notes, view digital imaging, hold confidential discussions, store records and have

handovers.

Acoustics: Sound attenuation level - Medium; acoustic privacy required.

Amendment

14.03.2014 - First Issue

Room Fabric and outline specifications

ID	Fabric	Material	Finish	Specification	Selection	Remarks
5060	Ceiling	Acoustic	Prefinished	Drop-in tiles, 600x1200		
6025	Cornice	Aluminium	Powdercoat	shadow line		
8000	Door protection	Vinyl	Prefinished	Kickplate, 300mm high		
9002	Doors	Solid Core/ Glass	Paint	Single leaf, half glazed		920mm clear opening, doors optional
1149	Floor finish	Carpet	90/10 Wool/ Nylon	Broadloom, 48 oz.		
7030	Observation	Alum/ Glass	Powdercoat	Internal window, door height		Optional
949496	Skirting	Timber	Paint	150mmH x 20mm thick, nominal		
3000	Wall finish	Paint	Acrylic, washable			

Fittings and Furniture (FF)

ID	Description	Category	Group	Qty	Selection / Remarks
1050	Bench: laminate	Furniture/ Fitting	1	1	for workstations
2100	Chair: ergonomic, office	Furniture/ Fitting	3	2	
2400	Chair: stackable	Furniture/ Fitting	3	7	
17250	Pedestal drawer unit: mobile, 660mmH	Furniture/ Fitting	3	2	under bench
17360	Pinboard: fabric covered	Furniture/ Fitting	1	1	above bench
20000	Shelving unit: adjustable	Furniture/ Fitting	1	1	over bench, full length
24400	Whiteboard	Furniture/ Fitting	2	1	1200x900

Fixtures, Equipment and associated Services (FE)

	ID	Description	Group	Qty	Ele	Data	CdW	HtW	//mW	Тар	Dns	Gas	Selection / Remarks
•	11400	Computer: PC & monitor	3	2	yes	yes							optional
4	41100	Printer: networked	3	1	yes	yes							optional

Issue Date: 1 Apr 2014

Sharjah Healthcare City - Health Facility Guidelines Mi

Milestone: Current

Room Data Sheets

Department Standard Components Room Tag: 3190

Room Name Office - Clinical/ Handover Room Code: OFF-CLN-SJ

ID	Description	Group	Qty	Ele	Data	CdW	HtW	∕ mW	Тар	Dns	Gas	Selection / Remarks
54510	Telephone: handset, standard	3	2		yes							

Services

ID	Description	Service Category	Qty	Selection / Remarks
1006	Voice / Data outlet: double	Communications	2	1 outlet per workstation for telephone
1006	Voice / Data outlet: double	Communications	1	printer
5000	Airconditioning	HVAC		
6000	General fluorescent	Lighting		
6055	Special: task light, built in	Lighting		under O/H shelving
8040	Annunciator	Nurse Call		to be audible in this room
9001	GPO: Double	Power	2	1-meeting area; 1-printer
9001	GPO: Double	Power	4	2 per workstation