## Sharjah Healthcare City - Health Facility Guidelines Milestone: Current

**Room Data Sheets** 

Department	Standard Components	Room Tag:	3360
Room Name	Parenting Room	Room Code:	PAR-SJ

**Net Room Area Briefed** 

6.0 M2

No of Rooms

1

**Subtotal of Briefed Area** 

6.00 M2

**Hours of Operation** 

Available 24 Hours

Occupancy

Up to 2

Also covers these Rooms

Op to 2

Description/ Special Requirements The Parenting Room is provided for parents to feed and change babies, and will provide access for prams. The Parenting Room will be located with other child related facilities and have ready access to a Toilet and Waiting area.

Acoustics: Sound attenuation level - High. Acoustic privacy required.

**Amendment** 

14.03.2014 - First Issue

### **Room Fabric and outline specifications**

ID	Fabric	Material	Finish	Specification	Selection	Remarks
5060	Ceiling	Acoustic	Prefinished	Drop-in tiles, 600x1200		
6025	Cornice	Aluminium	Powdercoat	shadow line		
8010	Door protection	Composite	Prefinished PVC	Protection plate to 900 AFFL		
8040	Door protection	Composite	Prefinished PVC	To door frame		
9001	Doors	Solid Core	Paint	Single leaf		920mm clear opening, privacy latch
1000	Floor finish	Vinyl	Standard slip resistant	Seamless, coved		tiles also acceptable
2000	Skirting	Vinyl	Prefinished	Floor vinyl coved, 150 mmH		or tiles for tiled floor
3000	Wall finish	Paint	Acrylic, washable			
3022	Wall finish	Resinate, 6mm	Prefinished	Splashback		tiles also acceptable

## Fittings and Furniture (FF)

ID	Description	Category	Group	Qty	Selection / Remarks
1050	Bench: laminate	Furniture/ Fitting	1	1	with sink & baby change recess
2000	Chair: lounge	Furniture/ Fitting	3	1	
3400	Coathook	Metalwork	1	1	
6154	Dispenser: paper/ hand towel	Furniture/ Fitting	2	1	to sink
6156	Dispenser: soap	Furniture/ Fitting	2	1	to sink
24105	Waste bin: fliptop, 20 Litre	Furniture/ Fitting	3	1	under bench

#### Fixtures, Equipment and associated Services (FE)

ID	Description	GroupQty E	Ele Data	CdWHtW VmWTap	Dns Gas	Selection /	Remarks
	UCC Cuidalina	Provided by TAHPI for :		Issue No: 1	F	Print Date: 20	May 2014
<b>3</b>	HCC Guidelines	Sharjah Domain		Issue Date: 1	Apr 2014	F	age 1 of 2

# Sharjah Healthcare City - Health Facility Guidelines

Milestone: Current

**Room Data Sheets** 

DepartmentStandard ComponentsRoom Tag:3360Room NameParenting RoomRoom Code:PAR-SJ

ID	Description	Group	Qty	Ele	Data	CdW	HtW	<b>∕</b> mW	Тар	Dns	Gas	Selection / Remarks
47800	Sink, SS: single in bench	1	1			yes	opt	opt	yes	yes		warm water

#### **Services**

ID	Description	Service Category	Qty	Selection / Remarks
5000	Airconditioning	HVAC		
6000	General fluorescent	Lighting		
9001	GPO: Double	Power	1	