Sharjah Healthcare City - Health Facility Guidelines Milestone: Current

Room Data Sheets

Department Room Name	Standard Components Pharmacy Counter	Room Tag: Room Code:	3510 PHA-CO-SJ				
Net Room Area Briefed	9.0 M2						
No of Rooms	1						
Subtotal of Briefed Area	9.00 M2						
Hours of Operation	0800 Hours - 1800						
Occupancy	1 - 2 staff members (1 standing)						
Also covers these Rooms							
Description/ Special Requirements	A Counter/ Reception area for Pharmac dispensed prescriptions to patients or signations to patients or signation of the prescription of the patient of the	, ,	ivery of				
	Additional Design Requirements: - Security glazing will be required with	communication slots					
Amendment	14.03.2014 - First Issue						

Room Fabric and outline specifications

ID	Fabric	Material	Finish	Specification	Selection	Remarks
5060	Ceiling	Acoustic	Prefinished	Drop-in tiles, 600x1200		
5007	Ceiling	Plasterboard	Paint	Bulkhead		optional
8000	Door protection	Vinyl	Prefinished	Kickplate, 300mm high		
9004	Doors	Solid Core/ Glass	Paint	Single leaf, observation panel		920mm clear opening; lockable
1149	Floor finish	Carpet	90/10 Wool/ Nylon	Broadloom, 48 oz.		
2130	Skirting	Metal	Powdercoat	Decorative		
3000	Wall finish	Paint	Acrylic, washable			

Fittings and Furniture (FF)

ID	Description	Category	Group	Qty	Selection / Remarks
1050	Bench: laminate	Furniture/ Fitting	1	1	900mm AFFL
1555	Cabinet: pass through	Furniture/ Fitting	1 1		lockable, under bench, for transfer of large items
1950	Chair: ergonomic, high	Furniture/ Fitting	3	1	
4230	Counter top	Furniture/ Fitting	1	1	over bench
17252	Pedestal drawer unit: mobile, 840mmH	Furniture/ Fitting	3	1	under bench
17360	Pinboard: fabric covered	Furniture/ Fitting	1	1	over bench
19505	Security screen: safety glass	Furniture/ Fitting	1	1	with communication slot/s
24100	Waste bin: paper, 20 Litre	Furniture/ Fitting	3	1	

Fixtures, Equipment and associated Services (FE)

ID	Description	Group	Qty	Ele	Data	CdW	HtW	∕/mW	Тар	Dns	Gas	Selection / Remarks
11400	Computer: PC & monitor	3	1	yes	yes							
41100	Printer: networked	3	1	yes	yes							optional
54510	Telephone: handset, standard	3	1		yes							
^	Provided by TAHPI for :				Issue No: 1 Print Date: 20 May 20				Print Date: 20 May 2014			
SHCC Guidelines Sharjah Domain		ain					ls	Issue Date: 1 Apr 2014			Page 1 of 2	

Sharjah Healthcare City - Health Facility Guidelines Milestone: Current

Room Data Sheets

Department	Standard Components	Room Tag:	3510
Room Name	Pharmacy Counter	Room Code:	PHA-CO-SJ

Services

ID	Description	Service Category	Qty	Selection / Remarks
1006	Voice / Data outlet: double	Communications	2	1 outlet for telephone
5000	Airconditioning	HVAC		
6000	General fluorescent	Lighting		
6030	Special: downlights	Lighting		to bulkhead, if provided
9001	GPO: Double	Power	3	
9011	GPO: Emergency power, double	Power	1	
10005	Duress alarm	Security	1	