Sharjah Healthcare City - Health Facility Guidelines Milestone: Current

Room Data Sheets

Standard Components Department Room Tag: 4030 Staff Room, 25m2 **Room Name Room Code:** SRM-25-SJ

Net Room Area Briefed

25.0 M2

No of Rooms **Subtotal of Briefed Area**

25.00 M2

Hours of Operation

Occupancy

24 Hours

Up to 18

Also covers these

Special Requirements

Rooms

Description/

The Staff Room is used by staff for respite, rest and relaxation during tea and meal breaks, especially where it is difficult for staff to use centrally

located facilities including at night. The room may also be used for small meetings or tutorials and for the storage of staff resources or library materials. Facilities for food and beverage preparation and storage should

be provided. An external outlook is desirable.

Acoustics: Sound attenuation level - high; Acoustic privacy is required.

Amendment

13.03.2014 - First Issue

Room Fabric and outline specifications

ID	Fabric	Material	Finish	Specification	Selection	Remarks
5060	Ceiling	Acoustic	Prefinished	Drop-in tiles, 600x1200		
6025	Cornice	Aluminium	Powdercoat	shadow line		
8000	Door protection	Vinyl	Prefinished	Kickplate, 300mm high		
9004	Doors	Solid Core/ Glass	Paint	Single leaf, observation panel		920mm clear opening, lockable
1149	Floor finish	Carpet	90/10 Wool/ Nylon	Broadloom, 48 oz.		vinyl also acceptable
1000	Floor finish	Vinyl	Standard slip resistant	Seamless, coved		to dining area and sink bench
949496	Skirting	Timber	Paint	150mmH x 20mm thick, nominal		or floor vinyl coved skirting
3000	Wall finish	Paint	Acrylic, washable			
3022	Wall finish	Resinate, 6mm	Prefinished	Splashback		to sink bench, tiles also acceptable
7001	Windows					desirable

Fittings and Furniture (FF)

ID	Description	Category	Group	Qty	Selection / Remarks
1050	Bench: laminate	Furniture/ Fitting	1	1	with inset sink/ drainer
1250 Blind: Venetian		Metalwork	3	1	to windows, if provided; curtains also acceptable
23410	Bracket: television, wall mount	Metalwork	1	1	optional
1700	Chair: dining	Furniture/ Fitting	3	8	
2000	Chair: lounge	Furniture/ Fitting	3	4	
4430	Cupboard: drawer unit	Furniture/ Fitting	1	1	under bench

Sharjah Healthcare City - Health Facility Guidelines

Milestone: Current

Room Data Sheets

DepartmentStandard ComponentsRoom Tag:4030Room NameStaff Room, 25m2Room Code:SRM-25-SJ

ID	Description	Category	Group	Qty	Selection / Remarks		
4410	Cupboard: under bench Furniture/ Fitting 1		1	1	adjustable shelf		
4460	Cupboard: wall mounted	Furniture/ Fitting	1	1	over bench, adjustable shelf		
6154	Dispenser: paper/ hand towel	Furniture/ Fitting	2	1	to sink		
6156	Dispenser: soap	Furniture/ Fitting	2	1	to sink		
12750	Lounge: 2 seat	Furniture/ Fitting	3	2			
17360	Pinboard: fabric covered	Furniture/ Fitting	1	1	900mm x 900mm. optional		
13120	Rack: magazine/ pamphlet	Furniture/ Fitting	3	1	optional		
19990	Shelving unit: microwave	Furniture/ Fitting	1	1	over bench		
23000	Table: dining	Furniture/ Fitting	3	2			
22800	Table: low	Furniture/ Fitting	3	4			
24102	Waste bin: general	Furniture/ Fitting	3	1	under bench		
24400	Whiteboard	Furniture/ Fitting	2	1	optional		

Fixtures, Equipment and associated Services (FE)

ID	Description	Group	Qty	Ele	Data	CdW	HtW	//mW	Тар	Dns	Gas	Selection / Remarks
5000	Boiling water unit: 5 Litre	1	1	yes		yes			yes	yes		
44100	Refrigerator: 250 Litre, domestic	3	1	yes								or underbench
47890	Sink & drainer: single, 930mmL	1	1			yes	opt	opt	yes	yes		hot water
54510	Telephone: handset, standard	3	1		yes							wall telephone
54580	Television: 54 cm	3	1	yes								

Services

ID	Description	Service Category	Qty	Selection / Remarks
1000	Telephone: PABX	Communications	1	wall telephone
1090	TV: MATV	Communications	1	if TV is provided, optional
1006	Voice / Data outlet: double	Communications	1	
5000	Airconditioning	HVAC		
6000	General fluorescent	Lighting		
8040	Annunciator	Nurse Call		to be audible in this room
9001	GPO: Double	Power	2	1 over bench
9000	GPO: Single	Power	3	fridge, BWU, microwave
9060	GPO: Special: for equipment	Power	1	TV, optional