Sharjah Healthcare City - Health Facility Guidelines Milestone: Current

Room Data Sheets

Department Room Name	Standard Components Staff Station, 5m2	Room Tag: Room Code:	4050 SSTN-5-SJ
Net Room Area Briefed	5.0 M2		
No of Rooms	1		
Subtotal of Briefed Area	5.00 M2		
Hours of Operation	24 Hours		
Occupancy	1 - 2 staff members		
Also covers these Rooms			
Description/ Special Requirements	The Staff Station is the administrative ba and enquiry point for patients and visitors of patient care, observation, writing up of computers and making and receiving tele may also accommodate a Unit Reception according to the Health Planning Unit, ac part-time staff, the Operational Model an	s. It provides for the co-ordi f clinical notes, entering dat ephone calls. The Staff Stat nist/ Clerk. The floor area m ctivity level, number of full a	nation a into tion nay vary
Amendment	Acoustics: Sound attenuation level - Me 13.03.2014 - First Issue	dium; acoustic privacy requ	iired.

Room Fabric and outline specifications

ID	Fabric	Material	Finish	Specification	Selection	Remarks
5060	Ceiling	Acoustic	Prefinished	Drop-in tiles, 600x1200		
5007	Ceiling	Plasterboard	Paint	Bulkhead		optional
6025	Cornice	Aluminium	Powdercoat	shadow line		
1000	Floor finish	Vinyl	Standard slip resistant	Seamless, coved		carpet also acceptable
2000	Skirting	Vinyl	Prefinished	Floor vinyl coved, 150 mmH		laminate to staff station front also acceptable
4050	Wall protection	Timber/MDF	Stain/ clear finish	Combined rail and crash bar at 900AFFL		to front of desk, optional

Fittings and Furniture (FF)

ID	Description	Category	Group	Qty	Selection / Remarks
2100	Chair: ergonomic, office	Furniture/ Fitting	3	2	
4230	Counter top	Furniture/ Fitting	1	1	resinate or laminate, to staff station
11465	Keyboard shelf: drop down	Furniture/ Fitting	1	1	optional
17255	Pedestal filing unit: mobile, 660mmH	Furniture/ Fitting	3	1	under bench, lockable
17360	Pinboard: fabric covered	Furniture/ Fitting	1	1	to upstand of staff station
21250	Staff station: laminate/ timber	Furniture/ Fitting	1	1	
24100	Waste bin: paper, 20 Litre	Furniture/ Fitting	3	1	under bench

Fixtures, Equipment and associated Services (FE)

ID	Description	Group	Qty	Ele	Data	CdW	HtW	₩m₩	Тар	Dns	Gas	Selection / Remarks
11400	Computer: PC & monitor	3	1	yes	yes							
54510	Telephone: handset, standard	3	1		yes							

	Provided by TAHPI for :	Issue No: 1	Print Date: 20 May 2014
SHCC Guidelines	Sharjah Domain	Issue Date: 1 Apr 2014	4 Page 1 of 2

Sharjah Healthcare City - Health Facility Guidelines Milestone: Current

Room Data Sheets

Department	Standard Components	Room Tag:	4050
Room Name	Staff Station, 5m2	Room Code:	SSTN-5-SJ

Services

ID	Description	Service Category	Qty	Selection / Remarks
1006	Voice / Data outlet: double	Communications	2	1 outlet on each panel for telephone
5000	Airconditioning	HVAC		
5070	Temperature control	HVAC	1	control panel, optional
6000	General fluorescent	Lighting		
6030	Special: downlights	Lighting		dimmable for night lighting
6055	Special: task light, built in	Lighting		under countertop
8040	Annunciator	Nurse Call	1	as required
9001	GPO: Double	Power	4	
10005	Duress alarm	Security	1	