#### **Sharjah Healthcare City - Health Facility Guidelines** Milestone: Current

**Room Data Sheets** 

**Standard Components** Department Room Tag: 4560 **Switchboard Operator Room Name Room Code: SWOP-SJ** 

**Net Room Area Briefed** 

10.0 M2

No of Rooms

**Subtotal of Briefed Area** 

10.00 M2

**Hours of Operation** 

24 Hours

Occupancy

1 - 2

Also covers these Rooms

Description/ **Special Requirements**  A room for the switchboard operator/s, to receive and transfer telephone calls and page staff as required. The Switchboard Operator may be located in close proximity to the Main Reception Area.

Acoustics: Sound attenuation medium; acoutic privacy required

**Amendment** 

13.03.2014 - First Issue

#### **Room Fabric and outline specifications**

ID	Fabric	Material	Finish	Specification	Selection	Remarks
5060	Ceiling	Acoustic	Prefinished	Drop-in tiles, 600x1200		
6025	Cornice	Aluminium	Powdercoat	shadow line		
8000	Door protection	Vinyl	Prefinished	Kickplate, 300mm high		optional
9002	Doors	Solid Core/ Glass	Paint	Single leaf, half glazed		920mm clear opening, lockable; glazing optional
1149	Floor finish	Carpet	90/10 Wool/ Nylon	Broadloom, 48 oz.		
949496	Skirting	Timber	Paint	150mmH x 20mm thick, nominal		
3000	Wall finish	Paint	Acrylic, washable			

## Fittings and Furniture (FF)

ID	Description	Category	Group	Qty	Selection / Remarks
1110	Bench: laminate, writing	Furniture/ Fitting	1	1	
2100	Chair: ergonomic, office	Furniture/ Fitting	3	2	
3400	Coathook	Metalwork	1	2	
11465	Keyboard shelf: drop down	Furniture/ Fitting	1	2	optional
17255	Pedestal filing unit: mobile, 660mmH	Furniture/ Fitting	3	2	under bench
17360	Pinboard: fabric covered	Furniture/ Fitting	1		above bench
20000	Shelving unit: adjustable	Furniture/ Fitting	1	1	over bench
24400	Whiteboard	Furniture/ Fitting	2	1	900 x 900, optional

#### Fixtures, Equipment and associated Services (FE)

ID	Description	Group	Qty	Ele	Data	CdW	HtW	<b>/</b> mW	Тар	Dns	Gas	Selection / Remarks
11400	Computer: PC & monitor	3	2	yes	yes							
38445	PABX: switchboard	3	1	yes	yes							with 2 stations
41100	Printer: networked	3	1	yes	yes							optional

# Sharjah Healthcare City - Health Facility Guidelines Milestone: Current

**Room Data Sheets** 

Department	Standard Components	Room Tag:	4560
Room Name	Switchboard Operator	Room Code:	SWOP-SJ

ID	Description	Group	Qty	Ele	<b>Data</b>	CdW	HtW	<b>/</b> mW	Тар	Dns	Gas	Selection / Remarks
54510	Telephone: handset, standard	3	2		yes							with headset

### **Services**

ID	Description	Service Category	Qty	Selection / Remarks
1000	Telephone: PABX	Communications	1	to switchboard
1006	Voice / Data outlet: double	Communications	2	
5000	Airconditioning	HVAC		
6000	General fluorescent	Lighting		
9001	GPO: Double	Power		
9010	GPO: Emergency power, single	Power	2	to switchboard & paging unit
10005	Duress alarm	Security	1	