

<b>Department</b>	<b>Standard Components</b>	<b>Room Tag:</b>	<b>4793</b>
<b>Room Name</b>	<b>Welding Booth</b>	<b>Room Code:</b>	<b>WLB-SJ</b>
<b>Net Room Area Briefed</b>	10.0 M2		
<b>No of Rooms</b>	1		
<b>Subtotal of Briefed Area</b>	10.00 M2		
<b>Hours of Operation</b>	Available 24 Hours		
<b>Occupancy</b>	1 staff		
<b>Also covers these Rooms</b>			
<b>Description/ Special Requirements</b>	An area defined by mobile screens in which metal fabrication procedures can be undertaken. Storage will be required for protective clothing, equipment and materials. The Welding Booth will be located with direct access to the Fitters/Plumbers Worksop area with close access to a Cleaning Bay.		
<b>Amendment</b>	13.03.2014 - First Issue		

### Room Fabric and outline specifications

ID	Fabric	Material	Finish	Specification	Selection	Remarks
5140	Ceiling	Concrete	Paint	Acrylic		
1280	Floor finish	Concrete	Trowel	Sealed		
3000	Wall finish	Paint	Acrylic, washable			
3110	Wall finish	Stainless steel	Linished	Splashback		integral with sink bench

### Fittings and Furniture (FF)

ID	Description	Category	Group	Qty	Selection / Remarks
20150	Bench: sink, stainless steel	Metalwork	1	1	with integrated sink & splashback
1121	Bench: work	Furniture/ Fitting	3	1	metal, free standing
13640	Cupboard: metal, 2 door	Furniture/ Fitting	3	1	
19155	Screen: welding, mobile	Furniture/ Fitting	3	4	
24400	Whiteboard	Furniture/ Fitting	2	1	900x900, optional

### Fixtures, Equipment and associated Services (FE)

ID	Description	Group	Qty	Ele	Data	Cd	WH	T/m	WTap	Dns	Gas	Selection / Remarks
49400	Sink: laundry, single	1	1	___	___	yes	opt	opt	yes	yes	___	cooling-off sink
1623	Welder: Oxy-acetylene	3	1									

### Services

ID	Description	Service Category	Qty	Selection / Remarks
5019	Exhaust	HVAC		variable speed
5015	Ventilation	HVAC		
6000	General fluorescent	Lighting		
9001	GPO: Double	Power	1	to wall
9060	GPO: Special: for equipment	Power	1	3 phase
9060	GPO: Special: for equipment	Power	2	15 amp