

Department	Standard Components	Room Tag:	1130
Room Name	ADL Dining Room	Room Code:	ADLD-SJ
Net Room Area Briefed	6.0 M2		
No of Rooms	1		
Subtotal of Briefed Area	6.00 M2		
Hours of Operation	24 Hours		
Occupancy	Up to 4		
Also covers these Rooms			
Description/ Special Requirements	The ADL Dining Room is an area provided within the Transitional Living Unit for the patient along with their visitors to eat their meals, away from the bedroom environment. The Dining Room will be located adjacent to the ADL Kitchen.		
Amendment	13.03.2014 First issue		

Room Fabric and outline specifications

ID	Fabric	Material	Finish	Specification	Selection	Remarks
5060	Ceiling	Acoustic	Prefinished	Drop-in tiles, 600x1200		
6025	Cornice	Aluminium	Powdercoat	shadow line		
1000	Floor finish	Vinyl	Standard slip resistant	Seamless, coved		
2000	Skirting	Vinyl	Prefinished	Floor vinyl coved, 150mmH		
3000	Wall finish	Paint	Acrylic, washable			
4045	Wall protection	Timber	Clear finish	Corner guards		
4060	Wall protection	Timber	Stain/ clear finish	Crash rail at 900AFFL		
7001	Windows					desirable

Fittings and Furniture (FF)

ID	Description	Category	Group	Qty	Selection / Remarks
350	Artwork	Furniture/ Fitting	3	1	optional
1250	Blind: Venetian	Metalwork	3	1	to external window as required
1700	Chair: dining	Furniture/ Fitting	3	3	with space for wheelchair
23000	Table: dining	Furniture/ Fitting	3	1	

Services

ID	Description	Service Category	Qty	Selection / Remarks
5000	Airconditioning	HVAC		
6110	Downlights: dimmable	Lighting		optional
6000	General fluorescent	Lighting		
8080	Emergency call	Nurse Call	1	+ indicator button & light
8000	Patient/ Staff call	Nurse Call	1	+ indicator button & light
8010	Staff/ Nurse assist call	Nurse Call	1	+ indicator button & light
9040	Body protected	Power		

Department | Standard Components
Room Name | ADL Dining Room

Room Tag: 1130
Room Code: ADLD-SJ

ID	Description	Service Category	Qty	Selection / Remarks
9001	GPO: Double	Power	1	