

Department	Standard Components	Room Tag:	1400
Room Name	Bay - Blanket/ Fluid Warmer	Room Code:	BBW-SJ
Net Room Area Briefed	1.0 M2		
No of Rooms	1		
Subtotal of Briefed Area	1.00 M2		
Hours of Operation	24 Hours		
Occupancy	N/A		
Also covers these Rooms			
Description/ Special Requirements	A Bay for a blanket or combined blanket / fluid warming cabinet. The bay should have close access to patient areas and operating rooms.		
Amendment	13.03.2014 First issue		

Room Fabric and outline specifications

ID	Fabric	Material	Finish	Specification	Selection	Remarks
5010	Ceiling	Plasterboard	Paint, washable	Flush set, suspended		
6025	Cornice	Aluminium	Powdercoat	shadow line		
1000	Floor finish	Vinyl	Standard slip resistant	Seamless, coved		
2000	Skirting	Vinyl	Prefinished	Floor vinyl coved, 150 mmH		
3000	Wall finish	Paint	Acrylic, washable			
4045	Wall protection	Timber	Clear finish	Corner guards		As required

Fixtures, Equipment and associated Services (FE)

ID	Description	Group	Qty	Ele	Data	Cd	WH	TW	/m	WTap	Dns	Gas	Selection / Remarks
4450	Cabinet: blanket/ fluid warming	3	1	yes	___	___	___	___	___	___	___	___	

Services

ID	Description	Service Category	Qty	Selection / Remarks
5000	Airconditioning	HVAC		
6000	General fluorescent	Lighting		
9010	GPO: Emergency power, single	Power	1	