

Department	Standard Components	Room Tag:	1525
Room Name	Bay - Handwashing, PPE	Room Code:	BHWS-PPE-SJ
Net Room Area Briefed	1.0 M2		
No of Rooms	1		
Subtotal of Briefed Area	1.00 M2		
Hours of Operation	24 Hours		
Occupancy	1		
Also covers these Rooms			
Description/ Special Requirements	An area off the corridor, which may be a recessed bay, with handwashing facilities for staff to cleanse their hands before and after every patient contact and for the storage of PPE (Personal Protective Equipment). The Handwashing, PPE bay will include a medium handbasin (Type B) with elbow action lever taps - for procedural handwashing; taps may be basin mounted or wall mounted. A vanity unit is optional.		
Amendment	13.03.2014 First issue		

Room Fabric and outline specifications

ID	Fabric	Material	Finish	Specification	Selection	Remarks
5010	Ceiling	Plasterboard	Paint, washable	Flush set, suspended		
6025	Cornice	Aluminium	Powdercoat	shadow line		
1045	Floor finish	Vinyl, non slip	Textured	Seamless, coved		under basin
2000	Skirting	Vinyl	Prefinished	Floor vinyl coved, 150 mmH		
3000	Wall finish	Paint	Acrylic, washable			
3022	Wall finish	Resinate, 6mm	Prefinished	Splashback		tiles also acceptable
4031	Wall protection	Composite	Prefinished PVC	Corner guards to 1500 AFFL		as required

Fittings and Furniture (FF)

ID	Description	Category	Group	Qty	Selection / Remarks
530	Basin vanity top	Furniture/ Fitting	1	1	optional
3400	Coathook	Metalwork	1	1	
6152	Dispenser: disposable glove	Furniture/ Fitting	2	1	
6157	Dispenser: medicated hand gel	Furniture/ Fitting	2	1	
6154	Dispenser: paper/ hand towel	Furniture/ Fitting	2	1	
6156	Dispenser: soap	Furniture/ Fitting	2	1	
6158	Dispenser: soap antiseptic	Furniture/ Fitting	2	1	optional
20015	Shelving unit: PPE	Furniture/ Fitting	1	1	for gowns, masks etc
24100	Waste bin: paper, 20 Litre	Furniture/ Fitting	3	1	

Fixtures, Equipment and associated Services (FE)

ID	Description	Group	Qty	Ele	Jat	Cd	WH	T	m	W	Tap	Dns	Gas	Selection / Remarks
----	-------------	-------	-----	-----	-----	----	----	---	---	---	-----	-----	-----	---------------------

Department | Standard Components
 Room Name | Bay - Handwashing, PPE

Room Tag: 1525
 Room Code: BHWS-PPE-SJ

ID	Description	Group	Qty	Ele	Jate	Cd	WH	W/m	WTap	Dns	Gas	Selection / Remarks
2800	Basin: handwash, Type B	1	1	—	—	yes	—	yes	yes	yes	—	elbow action lever taps, basin or wall mounted

Services

ID	Description	Service Category	Qty	Selection / Remarks
5000	Airconditioning	HVAC		consistent with adjacent area
6000	General fluorescent	Lighting		consistent with adjacent area