

Department	Standard Components	Room Tag:	1740
Room Name	Change Cubicle - Patient	Room Code:	CHPT-SJ
Net Room Area Briefed	2.0 M2		
No of Rooms	1		
Subtotal of Briefed Area	2.00 M2		
Hours of Operation	24 Hours		
Occupancy	1 patient		
Also covers these Rooms			
Description/ Special Requirements	A screened area for ambulant patients to change from street clothes into a hospital gown, as appropriate, prior to examination or treatment. Following examination or treatment, the patient will change in street clothes. The Change Cubicle should provide facilities for hanging clothes and a bench for the patient to sit on whilst changing.		
Amendment	13.03.2014 First issue		

Room Fabric and outline specifications

ID	Fabric	Material	Finish	Specification	Selection	Remarks
5060	Ceiling	Acoustic	Prefinished	Drop-in tiles, 600x1200		
6025	Cornice	Aluminium	Powdercoat	shadow line		
8000	Door protection	Vinyl	Prefinished	Kickplate, 300mm high		if door provided
9001	Doors	Solid Core	Paint	Single leaf		optional, 910mm outward opening, privacy latch
1000	Floor finish	Vinyl	Standard slip resistant	Seamless, coved		
2000	Skirting	Vinyl	Prefinished	Floor vinyl coved, 150 mmH		
3000	Wall finish	Paint	Acrylic, washable			

Fittings and Furniture (FF)

ID	Description	Category	Group	Qty	Selection / Remarks
1000	Bench seat	Furniture/ Fitting	1	1	or chair
3400	Coathook	Metalwork	1	2	
4700	Curtain track: privacy screen	Metalwork	1	1	or door to cubicle
5250	Curtain: privacy screen	Furniture/ Fitting	3	1	if curtain track provided
13700	Mirror	Metalwork	1	1	

Services

ID	Description	Service Category	Qty	Selection / Remarks
5000	Airconditioning	HVAC		
6000	General fluorescent	Lighting		
8080	Emergency call	Nurse Call	1	+ indicator button & light, outside cubicle entry
8000	Patient/ Staff call	Nurse Call	1	+ indicator button & light
8010	Staff/ Nurse assist call	Nurse Call	1	+ indicator button & light