

<b>Department</b>	<b>Standard Components</b>	<b>Room Tag:</b>	<b>2070</b>
<b>Room Name</b>	<b>Cool Room</b>	<b>Room Code:</b>	<b>CORM-SJ</b>
<b>Net Room Area Briefed</b>	10.0 M2		
<b>No of Rooms</b>	1		
<b>Subtotal of Briefed Area</b>	10.00 M2		
<b>Hours of Operation</b>	24 Hours		
<b>Occupancy</b>	N/A		
<b>Also covers these Rooms</b>			
<b>Description/ Special Requirements</b>	Refrigerated room for storage of goods requiring cool storage. Coolroom temperature should be monitored and alarmed. Essential power supply may be required.		
<b>Amendment</b>	13.03.2014 First issue		

**Room Fabric and outline specifications**

ID	Fabric	Material	Finish	Specification	Selection	Remarks
5000	Ceiling	Metal	Prefinished	Coolroom panels		
9060	Doors	Metal	Prefinished	Coolroom		Swing or sliding; lockable; escape access from inside
1315	Floor finish	Metal	Prefinished	Coolroom panels		
2190	Wall finish	Metal	Prefinished	Coolroom panels		

**Fittings and Furniture (FF)**

ID	Description	Category	Group	Qty	Selection / Remarks
19950	Shelving: stainless steel, coolroom	Metalwork	1	7	around all sides of room

**Services**

ID	Description	Service Category	Qty	Selection / Remarks
1085	Temperature monitor & alarm	Communications	1	
5021	Special ventilation: cool room	HVAC		
6000	General fluorescent	Lighting		
9060	GPO: Special: for equipment	Power		essential supply to cool room plant