

<b>Department</b>	<b>Standard Components</b>	<b>Room Tag:</b>	<b>2180</b>
<b>Room Name</b>	<b>Dental X-Ray</b>	<b>Room Code:</b>	<b>DENXR-SJ</b>
<b>Net Room Area Briefed</b>	6.0 M2		
<b>No of Rooms</b>	1		
<b>Subtotal of Briefed Area</b>	6.00 M2		
<b>Hours of Operation</b>	8am to 6 pm daily		
<b>Occupancy</b>	1 - 2		
<b>Also covers these Rooms</b>			
<b>Description/ Special Requirements</b>	The Dental X-Ray area will provide for processing, inspection and viewing of dental X-rays.		
<b>Amendment</b>	13.03.2014 First issue		

**Room Fabric and outline specifications**

ID	Fabric	Material	Finish	Specification	Selection	Remarks
5010	Ceiling	Plasterboard	Paint, washable	Flush set, suspended		plasterboard drop in tile ceiling also acceptable
6025	Cornice	Aluminium	Powdercoat	shadow line		
1000	Floor finish	Vinyl	Standard slip resistant	Seamless, coved		
2000	Skirting	Vinyl	Prefinished	Floor vinyl coved, 150 mmH		
3000	Wall finish	Paint	Acrylic, washable			
3085	Wall finish	Tiles	Glazed	Splashback		vinyl also acceptable

**Fittings and Furniture (FF)**

ID	Description	Category	Group	Qty	Selection / Remarks
1010	Bench: stainless steel	Metalwork	1	1	with wet edge, open under part
6154	Dispenser: paper/ hand towel	Furniture/ Fitting	2	1	to sink
6156	Dispenser: soap	Furniture/ Fitting	2	1	to sink
19820	Shelf: SS, under	Metalwork	1	1	under bench
20000	Shelving unit: adjustable	Furniture/ Fitting	1	1	over bench

**Fixtures, Equipment and associated Services (FE)**

ID	Description	Group	Qty	Ele	Data	Cd	W	H	T	W	m	W	Tap	Dns	Gas	Selection / Remarks
65150	IMG: processor, dental	3	1	yes	___	___	___	___	___	___	___	___	___	___	___	on bench
30350	Laminating machine	3	1	yes	___	___	___	___	___	___	___	___	___	___	___	as required
49005	Sink: 500x450x300D	1	1	___	___	yes	opt	opt	yes	yes	___	___	___	___	___	provide hot water; confirm sink dimensions
68600	Xray viewer: 1 screen	1	1	yes	___	___	___	___	___	___	___	___	___	___	___	

**Services**

ID	Description	Service Category	Qty	Selection / Remarks
5000	Airconditioning	HVAC		

**Department** | **Standard Components**  
**Room Name** | **Dental X-Ray**

**Room Tag:** 2180  
**Room Code:** DENXR-SJ

ID	Description	Service Category	Qty	Selection / Remarks
5019	Exhaust	HVAC		
6000	General fluorescent	Lighting		
6055	Special: task light, built in	Lighting		under O/H shelving
9001	GPO: Double	Power	2	
9000	GPO: Single	Power	1	XRV