Sharjah Healthcare City - Health Facility Guidelines Milestone: Current

Room Data Sheets

Department Standard Components Room Tag: 2660
Room Name Library & Study/ Reading Area, 40m2 Room Code: LSRA-40-SJ

Net Room Area Briefed

40.0 M2

No of Rooms

1

Subtotal of Briefed Area

40.00 M2

Hours of Operation

8am to 8pm, daily

Occupancy

Up to 15

Also covers these Rooms

Description/

Special Requirements

A room for library reference materials including books, magazines and on-line references and catalogues. The area will include a reading area, a meeting area and workstation for the Librarian. An external outlook is desirable.

Acoustics: Sound attenuation level - medium; Acoustic privacy required.

Amendment

13.03.2014 First issue

Room Fabric and outline specifications

ID	Fabric	Material	Finish	Specification	Selection	Remarks
5060	Ceiling	Acoustic	Prefinished	Drop-in tiles, 600x1200		
6025	Cornice	Aluminium	Powdercoat	shadow line		
8000	Door protection	Vinyl	Prefinished	Kickplate, 300mm high		
9125	Doors	Solid Core/ Glass	Paint	1 1/2 leaf, observation panel		1400mm clear opening, lockable
1149	Floor finish	Carpet	90/10 Wool/ Nylon	Broadloom, 48 oz.		
949496	Skirting	Timber	Paint	150mmH x 20mm thick, nominal		
3000	Wall finish	Paint	Acrylic, washable			
7001	Windows					Desirable

Fittings and Furniture (FF)

ID	Description	Category	Group	Qty	Selection / Remarks
1250	Blind: Venetian	Metalwork	3	3	to external window/s if provided
2100	Chair: ergonomic, office	Furniture/ Fitting	3	5	to workstation & desks
2060	Chair: meeting room	Furniture/ Fitting	3	6	may be stackable
5900	Desk	Furniture/ Fitting	3	4	
6480	Holder: magazine	Furniture/ Fitting	2	48	
17255	Pedestal filing unit: mobile, 660mmH	Furniture/ Fitting	3	1	lockable, under workstation
17360	Pinboard: fabric covered	Furniture/ Fitting	1	1	to workstation
17380	Pinboard: partition for desk	Furniture/ Fitting	3	4	to each desk
3750	Shelving unit: compactus	Furniture/ Fitting	3	1	
12221	Shelving: library	Furniture/ Fitting	3	12	900x400x2100
23040	Table: meeting	Furniture/ Fitting	3	2	

Sharjah Healthcare City - Health Facility Guidelines Milestone: Current

Room Data Sheets

DepartmentStandard ComponentsRoom Tag:2660Room NameLibrary & Study/ Reading Area, 40m2Room Code:LSRA-40-SJ

ID	Description	Category	Group	Qty	Selection / Remarks
24100	Waste bin: paper, 20 Litre	Furniture/ Fitting	3	1	
24440	Workstation: computer	Furniture/ Fitting	3	1	

Fixtures, Equipment and associated Services (FE)

ID	Description	Group	Qty	Ele	Data	CdW	HtW	VmW	Тар	Dns	Gas	Selection / Remarks
11400	Computer: PC & monitor	3	5	yes	yes							
41100	Printer: networked	3	1	yes	yes							optional
54510	Telephone: handset, standard	3	1		yes							to workstation

Services

ID	Description	Service Category	Qty	Selection / Remarks
1006	Voice / Data outlet: double	Communications	1	to workstation, 1 outlet for telephone
1006	Voice / Data outlet: double	Communications		1 per desk
5000	Airconditioning	HVAC		
6000	General fluorescent	Lighting		
9015	GPO: Cleaner	Power	1	
9001	GPO: Double	Power	6	1 per desk; 2 to workstation

SHCC Guidelines

Provided by TAHPI for : Sharjah Domain

Issue No:1 Print Date: 20 May 2014 Issue Date: 1 Apr 2014 Page 2 of 2