Sharjah Healthcare City - Health Facility Guidelines Milestone: Current

Room Data Sheets

Department Room Name	Standard Components Play Area - Paediatric, 10m2	Room Tag: Room Code:	3580 PLAP-10-SJ	
Net Room Area Briefed	10.0 M2			
No of Rooms	1			
Subtotal of Briefed Area	10.00 M2			
Hours of Operation	Available 24 Hours			
Occupancy	Up to 5			
Also covers these Rooms				
Description/ Special Requirements	A Play Area is an area where children may play while waiting with parents and may be associated with a Waiting area. The Play Area should allow access for prams. Public toilets and baby change facilities should be located nearby. The Play Area should be designed to keep children in the area, minimise noise transfer and be observable from the Waiting area.			
Amendment	14.03.2014 - First Issue			

Room Fabric and outline specifications

ID	Fabric	Material	Finish	Specification	Selection	Remarks
5060	Ceiling	Acoustic	Prefinished	Drop-in tiles, 600x1200		
6025	Cornice	Aluminium	Powdercoat	shadow line		
1149	Floor finish	Carpet	90/10 Wool/ Nylon	Broadloom, 48 oz.		vinyl also acceptable
2130	Skirting	Metal	Powdercoat	Decorative		or coved vinyl skirting
3000	Wall finish	Paint	Acrylic, washable			
7001	Windows					desirable

Fittings and Furniture (FF)

ID	Description	Category	Group	Qty	Selection / Remarks
1130	Blackboard	Metalwork	2	1	child height, optional
1250	Blind: Venetian	Metalwork	3	1	to external window if provided, no dangling cords
1600	Chair: child	Furniture/ Fitting	3	2	
2655	Chair: visitor	Furniture/ Fitting	3	2	
19506	Security screen: child proof	Furniture/ Fitting	1	1	with gate
22700	Table: child	Furniture/ Fitting	3	1	
22800	Table: low	Furniture/ Fitting	3	1	
23800	Toy box & toys	Furniture/ Fitting	3	1	

Services

ID	Description	Service Category	Qty	Selection / Remarks
5000	Airconditioning	HVAC		
6000	General fluorescent	Lighting		