Sharjah Healthcare City - Health Facility Guidelines Milestone: Current

Room Data Sheets

Department Room Name	Standard Components Store - Equipment, 10m2	Room Tag: Room Code:	4215 STEQ-10-SJ		
Net Room Area Briefed	10.0 M2				
No of Rooms	1				
Subtotal of Briefed Area	10.00 M2				
Hours of Operation	24 Hours				
Occupancy	1 - 2 intermittently				
Also covers these Rooms					
Description/ Special Requirements	The Equipment Store is used for the storage of equipment when not in use and recharging of electrical items. Space is required for parking of mobile equipment. Hooks will be required for hanging equipment.				
Amendment	13.03.2014 - First Issue				

Room Fabric and outline specifications

ID	Fabric	Material	Finish	Specification	Selection	Remarks
5030	Ceiling	Plasterboard	Prefinished	Drop-in tiles, 600x1200		
6025	Cornice	Aluminium	Powdercoat	shadow line		
8010	Door protection	Composite	Prefinished PVC	Protection plate to 900 AFFL		
8040	Door protection	Composite	Prefinished PVC	To door frame		
9110	Doors	Solid Core	Paint	1 1/2 leaf		1400mm clear opening, lockable
1000	Floor finish	Vinyl	Standard slip resistant	Seamless, coved		
2000	Skirting	Vinyl	Prefinished	Floor vinyl coved, 150 mmH		
3000	Wall finish	Paint	Acrylic, washable			
4020	Wall protection	Composite	Prefinished PVC	Crash rail at 900 AFFL		

Fittings and Furniture (FF)

ID	Description	Category	Group	Qty	Selection / Remarks
7200	Hook: equipment	Metalwork	1	4	on mounting plate
13660	Metal shelving: 900x400x2100	Furniture/ Fitting	3	3	heavy duty
24400	Whiteboard	Furniture/ Fitting	2	1	900 x 900, optional

Services

ID	Description	Service Category	Qty	Selection / Remarks
5000	Airconditioning	HVAC		
6000	General fluorescent	Lighting		
9001	GPO: Double	Power	4	for equipment recharging

